





Why Raman?

Advantages


- Non-destructive
- Non-contact/In-situ sampling
- Reduced sample preparation
- Water/aqueous phase sampling
- Organic/inorganic molecules
- Amorphous/crystalline

Raman is an ideal technique for research and industry offering high quality data, reliability, versatility and improved value for money over other analytical techniques. Benefits not only include the range of samples that are suitable for analysis, but also the information content that is provided.

- Chemical identification
- Quality testing
- Process/product troubleshooting
- Contamination and inclusion analysis
- Raw materials inspection

Principle

Interaction of laser light with a sample results in a Raman spectrum - a detailed chemical fingerprint. Combined with an optical microscope, this provides sample identification and chemical imaging on a microscopic scale.




The sensitivity, spectroscopic and imaging performance of the XploRA product line

enables the broadest range of sample analysis.

Pharmaceuticals



Nano-materials



Semiconductors



Polymers



Geology



Chemicals



Art and Museum



Forensics



XploRA Series

Sign Contraction

XploRA PLUS: Research

Raman imaging has never been so fast!

The XploRA PLUS incorporates unique and powerful functions in a reliable, high performance system, ideally suited to the research and analytical lab.

It is fully confocal, not compromising image quality, spatial or depth resolution. The SWIFT™ Fast Raman images are the fastest fully confocal Raman images available, typically 10x faster than conventional Raman imaging.

The simplicity and power of the XploRA PLUS is unmatched with an enhanced range of options such as multiple laser wavelengths, EMCCD detection, Raman polarisation and even AFM Raman TERS combination.

It is the best platform for multi-sample and multi-user environments.

- Fastest confocal imaging
- Automated laser wavelength switching with just a single mouse click
- Large range of options and accessories





XploRA ONE: Analytical

Raman analysis has never been so easy!

The XploRA ONE offers new capabilities to the industrial and analytical user, providing the highest performance Raman, in a **cost effective and robust instrument package**.

It is ideal for routine analytical, research and quality testing applications.

- OneClick operation
- Auto-calibration in OneCheck
- Regulatory compliance: 21 CFR11

XploRA INV: Life Science

Hybrid biological imaging and analysis made easy!

The XploRA INV Raman microscope is the only truly analytical inverted Raman microscope. Configured for high sensitivity bio-Raman spectroscopy. It offers TRUE confocal performance with low maintenance and dedicated software for ease of operation.

The uniquely integrated system design ensures stability, optimizing the imaging workflow. The integrated inverted microscope enables multimodal analysis, such as **fluorescence**, **Raman**, **laser tweezing and even TERS analysis** to be conducted upon the same instrument and at the same sample position.

- Inverted life-science microscope
- Fast and simple sample imaging
- Multi-modal analysis






The XploRA

Innovation provides improved productivity and extended reliability.


- Superior CCD and EMCCD for Class leading S:N
- Easier and faster analysis
- Requiring far less laser power on the sample, preserving sample integrity
- Ability to detect thin films, small particles, and dilute solutions



Silicon (Si) 4th order sensitivity

- Suitable for all laser wavelengths
- Scaleable to large area and micron scale imaging for maximum image detail
- Means faster and more reliable Raman imaging at the click of a button
- Fully confocal for improved image detail






Fast SWIFT™ image of semiconductor defect, obtained in less than 2 minutes

Combined with an EMCCD, SWIFTXS pushes the speed of confocal Raman imaging to the next level.

Accelerate your chemical imaging and generate high definition Raman images in minute timescale.

Supercharge your Raman Imaging!




40 200 spectra acquired in less than 50 seconds Structured semiconductor device, Raman SWIFTXS image

At a Glance

Technical design offers automation and class leading ease of operation.

Full Optical Microscopy To See Your Sample




Extended polarized light microscope image

- All modes of microscopy, transmission and reflection illumination
- Options for DIC, phase, epifluorescence, dark field and polarized light microscopy
- Automated Extended Video Montage
- Range of options such as Autofocus, and ParticleFinder (auto-location) will never limit the scope of the optical microscopy

Maximum Detail, Resolution and Range


HORIBA

- Optimized range and resolution in one-shot for all lasers
- Full range optics enables detail over the complete Raman spectrum
- The high resolution ability of the XploRA PLUS and INV, provide the highest spectroscopic detail while optimizing the Raman sensitivity



Raman spectra of pharmaceuticals and organics can often show subtle information in the 2800-3400 cm⁻¹ region

Raman Data in Seconds: For Industrial Quality Control, Research and Analytical Testing



The XploRA Series offers full spectral analysis in OneClick Operation.



Simple operation, speed, low maintenance and push button results enables you to optimize productivity and efficiency.

The XploRA Series is driven by LabSpec's intuitive user interface enabling logical workflow through an experiment.

- HORIBA OneClick Raman operation
- Autocalibration
- Enhanced multi-page analysis reports
- Augmented help and troubleshooting
- Sample methods for routine repetition
- User login accounts for system security
- 3D volume and topography imaging
- Enhanced on-the-fly image generation
- Support of multi-screen PC environments
- Extended microscope image correction
- Extensive spectral database/libraries
- Easier chemometric processing
- ParticleFinder for automated particle location

Easily Expand your Analytical Technique

Benefits of XploRA Raman Microscopy in Research and Industrial Analysis Compared to No sample preparation Non-contact analysis Full optical microscope Multi-layer analysis **FTIR** Water based samples Inorganics Sub-micron scale analysis Polymer backbone characterization Non-destructive analysis Molecular/crystal structure Mass Fast analysis times typically > 2 seconds No sample preparation Spectrometry Solids/surface analysis Low maintenance In-situ environmental stages (heating/cooling/relative Crystalline and amorphous materials XRD humidity) Single particle analysis Small benchfootprint Optical Chemical information and chemical images Microscopy Fast start-up and ready to analyze time in less than No sample preparation Environmental conditions: no vacuum, heating/ 10 minutes from off SEM cooling/relative humidity controlled stages Multi-layer samples Fast analysis times and sample throughput Small bench footprint

Simplified Workflow





The patented calibration objective tool uses a certified reference material and ASTM method for system validation and ensures fast, easy calibration and validation of the instrument.



OneCheck and the system is ready to run.

Impressively fast start-up time, less than 10 minutes from cold, removes the need for any lengthy start-up procedures, adjustment or the need for the system to be continually powered on.

Ideal for laboratory efficiency, running costs and the environment!



OneCheck

Input Sample

No preparation

Easy Navigation

Raman Acquisition




Report Result

EasyNavTM



With the groundbreaking EasyNav™ package, it is fast and easy to navigate in-focus, in real-time, to identify the region of interest and obtain sharp, clear Raman chemical images, thanks to three new revolutionary applications:

NavMap™, NavSharp™ and ViewSharp™.



NavMap™ View

OneClick Raman Acquisition



OneClick Raman acquisition optimizes acquisition parameters and signal processing in OneClick, including baseline corrections, fluorescence rejection and noise reduction.

This document is not contractually binding under any circumstances - Printed in France - ©HORIBA FRANCE SAS - RCS EVRY B 837 150 366 - 06/2020

XploRA Series Specifications

	Industrial	Research	Bio/Life science	Nano Raman
	XploRA™ One	XploRA™ PLUS	XploRA™ INV	XploRA™ AFM Raman
Faster Raman SWIFT™ Imaging / SWIFTXS (with EMCCD)	YES with XY stage	YES with XY stage	YES with XY stage Optional DuoScan™ imaging	YES Optional XY stage & DuoScan™ depending upon version
Confocal Imaging	1 μm XY	0.5 μm XY	0.5 μm XY	0.5 μm XY 10 nm* with TERS
Routine operation Automation	OneClick Auto/Raw	OneClick Auto	Methods and scripts	Integrated AFM Raman software
Full Microscope	Upright	Upright	Inverted	Upright and/or inverted
Resolution	Standard	Standard + High	Standard + High	Standard + High
Multi-laser Options	Single laser 532 and 785 nm	532, 638, 785 nm others on request	532, 638, 785 nm others on request	532, 638, 785 nm others on request

^{*} Requires HORIBA TERS tips

XploRA Nano

- AFM Raman module
- XploRA PLUS and INV versions
- TERS Ready: 10 nm resolution*
- Multi-sampling geometry: upright-invertedside axis
- SWIFT™ Nano-Raman images
- High performance AFM functionality
- Integrated control and construction
- Stability and reliability

The XploRA PLUS and INV can add the NanoRaman (TERS) extension to probe nanometer structures and single molecules in a single compact, high performance system.



Find out more at www.horiba.com/xplora

HORIBA

 λ = (400 nm - 800 nm) P \leq 150 mW VISIBLE AND/OR INVISIBLE LASER RADIATION AVOID EXPOSURE TO BEAM CLASS 3B LASER PRODUCT



www.horiba.com/scientific info.sci@horiba.com

France: USA: Japan: Germany: Italy: UK: China: HORIBA Jobin Yvon S.A.S., 16-18 rue du Canal, 91165 Longjumeau cedex - Tel. +33 (0)1 69 74 72 00 - Fax. +33 (0)1 69 09 07 21 - Email: info-sci.fr@horiba.com HORIBA Instruments Inc., 20 Knightsbridge Road, Piscataway, NJ 08854 - Tel. +1 732 494 8660 - Fax. +1 732 549 5125 - Email: info-sci.us@horiba.com

HORIBA Ltd., 2 Miyanohigashi, Kisshoin, Minami-ku, Kyoto 601-8510 - Tel. +81(75)313-8121 - Fax. +81(75)321-8312 - Email: info@horiba.co.jp

HORIBA Jobin Yvon GmbH, Neuhofstrasse 9, 64625 Bensheim - Tel. +49 (0) 6251 8475 0 - Fax. +49 (0) 6251 8475 20 - Email: info-sci.de@horiba.com HORIBA Jobin Yvon Srl., Viale Luca Gaurico 209 - 00143 Roma - Tel. +39 06 51 59 22 1 - Fax. ++39 06 51 96 43 34 - Email: info-sci.it@horiba.com HORIBA UK Ltd., Kyoto Close, Moulton Park, Northampton, NN3 6FL - Tel. +44 (0)1604 542 500 - Fax. 44 (0)1604 542 699 - Email: info-sci.uk@horiba.com

HORIBA (China) Tradfing Co. Ltd., Unit D 1F, Bldg A, Srynnex International Park, No. 1068 West Tianshan Road, Shanghai 200335 - Tel. +86 (0)21 6289 6060 - Fax. +86 (0)21 6289 5553 Email: info-sci.cn@horiba.com

Singapore: HORIBA Instruments (Singapore) Pte Ltd. 3 Changi Business Park Vista #01-01 AkzoNobel House 486051 Singapore - Tel. +65 (6) 745-8300 - Fax. +65 (0) 6 745 8155

Taiwan: HORIBA Taiwan Inc., 8F-8, No.38, Taiyuan St., Zhubei City, Hsinchu County 30265 - Tel. +886 3 5600606 - Fax. +886 3 5600550 - Email: info-sci.tw@horiba.com

HORIBA India Private Limited Bangalore Office No.55, 12th Main, Behind BDA Complex, 6th sector, HSR Layout, Bangalore South, 560102 Bangalore Tel. +91 (80)4127 3637

HORIBA Instruments Brasil Ltda., Rua Presbítero Plínio Alves de Souza, 645, Loteamento Polo Multivias Bairro Jardim Ermida II, Jundiai São Paulo CEP 13.212-181

Tel. +55 (0)11 2923 5400 Fax. +55 (0)11 2923 5490 - Email: infocientifica.br@horiba.com

Other: Tel. +33 (0)1 69 74 72 00 - Email: info.sci@horiba.com

